

Last Modified: 07-05-2024	6.11:8.1.0	Doc ID: RM100000002JTS8
Model Year Start: 2024	Model: Land Cruiser	Prod Date Range: [02/2024 -]
Title: MIRROR (EXT): OUTER REAR VIEW MIRROR: REMOVAL; 2024 MY Land Cruiser [02/2024 -]		

REMOVAL

CAUTION / NOTICE / HINT

The necessary procedures (adjustment, calibration, initialization, or registration) that must be performed after parts are removed and installed, or replaced during outer rear view mirror assembly with cover removal/installation are shown below.

Necessary Procedures After Parts Removed/Installed/Replaced


REPLACED PART OR PERFORMED PROCEDURE	NECESSARY PROCEDURES	EFFECT/INOPERATIVE FUNCTION WHEN NECESSARY PROCEDURES ARE NOT PERFORMED	LINK
<ul style="list-style-type: none">• Side television camera assembly LH (Including removal and installation)• Outer rear view mirror assembly LH (Including removal and installation)• Side television camera assembly RH (Including removal and installation)• Outer rear view mirror assembly RH (Including removal and installation)	Side television camera view adjustment	<ul style="list-style-type: none">• Panoramic View Monitor System• Multi-terrain Monitor system	<div>INFO</div>
<ul style="list-style-type: none">• Front television camera assembly, radiator grille assembly or front bumper assembly• Rear television camera assembly• Side television camera assembly LH or outer rear view mirror assembly LH• Side television camera assembly RH or outer rear view mirror assembly RH	Television camera view adjustment HINT: Replacement or removal and installation of 2 or more parts		

CAUTION / NOTICE / HINT




HINT:

- Use the same procedure for the RH side and LH side.
- The following procedure is for the LH side.

COMPONENTS (REMOVAL)



0

PROCEDURE		PART NAME CODE			
1	FRONT DOOR UPPER TRIM COVER LH	67782	INFO	-	-
2	FRONT DOOR ARMREST COVER SUB-ASSEMBLY LH	74038	INFO	-	-
3	FRONT DOOR TRIM BOARD SUB-ASSEMBLY LH	67602	-	-	-
4	OUTER MIRROR INSTALL HOLE COVER	87964	-	-	-
5	HOLE PLUG	-	-	-	-
6	OUTER REAR VIEW MIRROR ASSEMBLY LH	87940	INFO	-	-

PROCEDURE

1. REMOVE FRONT DOOR UPPER TRIM COVER LH

	Click here INFO
---	---------------------------------

2. REMOVE FRONT DOOR ARMREST COVER SUB-ASSEMBLY LH

	Click here INFO
---	---------------------------------

3. REMOVE FRONT DOOR TRIM BOARD SUB-ASSEMBLY LH

Click here 


4. REMOVE OUTER MIRROR INSTALL HOLE COVER

Click here 

5. REMOVE HOLE PLUG


Click here 

6. REMOVE OUTER REAR VIEW MIRROR ASSEMBLY LH



*A	w/ Panoramic View Monitor System	*B	w/o Panoramic View Monitor System
----	----------------------------------	----	-----------------------------------

- (1) w/ Panoramic View Monitor System:
- 1. Disconnect the 3 connectors and detach the wire harness clamp.
- (2) w/o Panoramic View Monitor System:
- 1. Disconnect the connector and detach the wire harness clamp.



- (1) Remove the 3 nuts.

NOTICE:

- Hold the outer rear view mirror assembly LH with one hand so that it does not drop.
- (2) Detach the claw and guide to remove the outer rear view mirror assembly LH.

