

# TOYOTA ALL MODELS ALL YEARS UNIVERSAL TABLET HOLDER

Preparation

**Part Number: PT949-47160-02**

## Kit Contents

Item #	Quantity Req'd.	Description
1	1	Combo Hook Dock (CHD)
2	4	CHD Head Rest Strut Inserts
3	1	Universal Tablet Holder
4	1	Owner's Manual

## Hardware Bag Contents

Item #	Quantity Req'd.	Description
1		
2		
3		

## Additional Items Required For Installation

Item #	Quantity Req'd.	Description
1		
2		
3		

## Conflicts

None
------

## Recommended Tools

Personal & Vehicle Protection	Notes
Clean Cloths	Ensure hands & uniform are clean before entering vehicle
Special Tools	Notes
None	
Installation Tools	Notes
None	
Special Chemicals	Notes
None	

## General Applicability

All Toyota vehicles with removable headrests
--

## Recommended Sequence of Application

Item #	Accessory
1	
2	
3	

\*Mandatory

## Vehicle Service Parts (may be required for reassembly)

Item #	Quantity Req'd.	Description
1	1	PT949-47160-AA (UTH)
2	1	PT949-47160-AB (CHD)
3		

## Legend



**STOP:** Damage to the vehicle may occur. Do not proceed until process has been complied with.



**OPERATOR SAFETY:** Use caution to avoid risk of injury.



**CAUTION:** A process that must be carefully observed in order to reduce the risk of damage to the accessory/vehicle and to ensure a quality installation.



**TOOLS & EQUIPMENT:** Used in Figures calls out the specific tools and equipment recommended for this process.




**REVISION MARK:** This mark highlights a change in installation with respect to previous issue.



**SAFETY TORQUE:** This mark indicates that torque is related to safety.



**REGULATORY MARK:** This mark indicates the component is related to regulatory compliance



# TOYOTA ALL MODELS ALL YEARS UNIVERSAL TABLET HOLDER

## Procedure

Care must be taken when installing this accessory to ensure damage does not occur to the vehicle. The installation of this accessory should follow approved guidelines to ensure a quality installation.





These guidelines can be found in the "Accessory Installation Practices" document.

This document covers such items as:-


- Vehicle Protection (use of covers and blankets, cleaning chemicals, etc.).
- Safety (eye protection, rechecking torque procedure, etc.).
- Vehicle Disassembly/Reassembly (panel removal, part storage, etc.).
- Electrical Component Disassembly/Reassembly (battery disconnection, connector removal, etc.).

Please see your Toyota/Scion/Lexus dealer for a copy of this document.


### 1. Install the Combo Hook Dock.




- (a) Remove the front head rest (Fig. 1-1).
- (b) Measure the head rest strut diameter (Fig. 1-1).
- (c) If the head rest strut diameter is less than 14mm, insert the matching 12mm or 10mm inserts on both posts (Fig. 1-2).
- (d) Push the inserts in from underneath until they are flush.
- (e) Sitting in the back seat and looking from the top down, open both arms on the Combo Hook Dock (Fig. 1-3).
- (f) Slide the Combo Hook Dock onto the seat post plastic caps. Push until the holes align when looking down from the top of the seat (Fig. 1-4).



(g) Close the arms (Fig. 1-5).




(h) Ensure the hole in the Combo Hook Dock is aligned with the hole in the plastic caps on the top of the seat (Fig. 1-6).





(i) Replace the head rest (Fig. 1-7). It should click when properly fitted.

## 2. Install/Remove a Tablet.





(a) To install the Holder, with or without a tablet mounted, open the arm at the back and insert it into the Combo Hook Dock (Fig. 2-1 & Fig. 2-2).







- (b) The Holder will look like Fig. 2-3 with a tablet installed or Fig. 2-4 without a tablet installed.





- (c) To remove the Holder, press the locking button and pull towards the rear seat (Fig. 2-5, Fig. 2-6 & Fig. 2-7).



### **3. Use as a Bag Holder.**

- (a) The Combo Hook can also be used to hold bags (Fig. 3-1).



# TOYOTA ALL MODELS ALL YEARS UNIVERSAL TABLET HOLDER

Checklist - these points **MUST** be checked to ensure a quality installation.

<u>Check:</u>	<u>Look For:</u>
<u>Accessory Function Checks</u>  <input type="checkbox"/> Locking tabs engaged  <input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/>	Tablet Holder locked in position
<u>Vehicle Function Checks</u>  <input type="checkbox"/> Head rest    <input type="checkbox"/>	Listen for the “click” of the locking mechanism. Pull upward on the headrest to ensure it is locked in position.
<u>Vehicle Appearance Check</u>  <input type="checkbox"/> After accessory installation and removal of protective cover(s), perform a visual inspection.	Ensure no damage (including scuffs and scratches) was caused during the installation process. (For PPO installations, refer to TMNA Accessory Quality Shipping Standard.)